




## XK-16 Stick, XK-8 Stick, XK-4 Stick Product Manual



### This manual covers part numbers:

- ❑ XK-0981-UCK16-R
- ❑ XKS-08-USB-R
- ❑ XKS-04-USB-R

### Features

- ❑ 16, 8, or 4 Keys
- ❑ Individual Key Backlighting
- ❑ Designed, Sold, and Supported in USA
- ❑ From P.I Engineering, *The No Slogan Company*
- ❑ USA: [www.xkeys.com](http://www.xkeys.com)
- ❑ UK: [www.x-keys-uk.com](http://www.x-keys-uk.com)

### Box Contents

This package contains:

- 1- X-keys Stick
- 2- Legend Sheet (1 pre-printed, 1 blank)
- 1- Product Manual
- 2- Double-stick pads

### Quick Start for Windows

1. Download and run the MacroWorks 3 (MW3) installation program from [xkeys.com/PIsupport/SoftwareMacroWorks.php](http://xkeys.com/PIsupport/SoftwareMacroWorks.php).
2. Plug in the X-keys and wait for Windows to recognize it.
3. Slide the programming switch (located next to the cord) toward the cord to open the MW3.1 programming window (or click on the MW3.1 taskbar icon and select the device).
4. Press any key on the X-keys (or double-click on the key image) to begin recording a macro.
5. Type keystrokes or select text, shortcut, or function. Multiple lines of keystrokes, text, shortcuts, and functions may be entered on a single key.
6. Press the key again (or click Save) to complete programming.
7. When finished, slide the programming switch away from the cord to close the programming window (or click the exit icon).

To quickly learn how to use MW3.1 watch the brief tutorials on our website. Consult the MW3.1 help file for complete instructions and tips on programming and using your X-keys.

## Mac Users

Download and install ControllerMate for X-keys from [xkeys.com/PIsupport/SoftwareControllerMate.php](http://xkeys.com/PIsupport/SoftwareControllerMate.php). ControllerMate for X-keys is published by OrderedBytes in partnership with P.I. Engineering. For full programming instructions and support, please visit [www.orderedbytes.com/controllermate/](http://www.orderedbytes.com/controllermate/).

## Developers

P.I. Engineering offers a free Software Development Kit with code samples in C#, C++ and .NET. We also offer a Linux SDK and Android code samples. Please visit the Developers section on our website: [xkeys.com/PIsupport/Developer.php](http://xkeys.com/PIsupport/Developer.php)

## Support

Should you encounter difficulty with the installation or programming, please open the MW3 or ControllerMate Help File or check the troubleshooting guide on our web site. You may also contact technical support.

USA: [tech@xkeys.com](mailto:tech@xkeys.com) | Phone: 1-517-655-5523

UK: [xkeys@keyboardspecialists.co.uk](mailto:xkeys@keyboardspecialists.co.uk) | Tel +44 (0)20 3474 0234

## Compatibility

X-keys USB devices require MacroWorks 3 for Windows XP, Vista, or 7 or ControllerMate for Mac OS X. The X-keys Stick also has a "Hardware Mode" which gives it the ability to mimic a USB keyboard or mouse on any USB enabled operating system (including Linux). Learn more about Hardware Mode on our web site or contact our Technical Support Department ([tech@xkeys.com](mailto:tech@xkeys.com)).

## Identifying the Keys

Select legends from the pre-printed sheet or use the blank legend sheet to create your own key legends. The keycap lenses snap off with a fingernail or small screwdriver. Place the legend inside the lens, and replace it. The key caps hold a legend 0.575" wide and 0.5" high (14.6mm x 12.7mm). Other options are available for printing legends for multiple units. Contact our Sales Department ([sales@xkeys.com](mailto:sales@xkeys.com)) for more information.

## Customization

The electronic design of the X-keys Stick is such that the stick may be cut off to any length after the second key. P.I. Engineering will perform this service in our lab for a fee including testing to maintain the warranty, or you may contact us for specific instructions if you wish to do it yourself.

## Compatible Accessories

Please visit the Accessories page on our website for details on the following.

- ❑ X-keys USB Extender – up to 150 feet via CAT 5 cable
- ❑ Replacement keycaps
- ❑ USB powered lamp for studio or performance applications

## Other Products from P.I. Engineering

- ❑ X-keys XK-24 – 24 keys with backlighting
- ❑ X-keys XK-60/XK-80 – 60 or 80 programmable keys
- ❑ X-keys XK-12 Joystick – 12 keys with a precision joystick
- ❑ X-keys XK-12 Jog & Shuttle – 12 keys with jog & shuttle
- ❑ X-keys XK-3 Foot Pedal – three programmable pedals
- ❑ X-keys XK-4 Stick – four programmable keys
- ❑ X-keys XK-8 Stick – eight programmable keys
- ❑ X-keys XK-16 Stick – sixteen programmable keys
- ❑ X-keys XK-68 Joystick - 68 keys with a precision joystick
- ❑ X-keys XK-68 Jog & Shuttle – 68 keys with jog & shuttle
- ❑ X-keys USB 12 Switch Interface – 12 switch ports
- ❑ X-keys Encoder Board – 128 switch points

## FCC Declaration of Conformity

**This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful**

**interference when the equipment is operated in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and if not installed and used in accordance with the instruction manual may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:**

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio TV technician for help.

**Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.**



## CE Declaration of Conformity



We, P.I. Engineering, Inc., declare that the X-keys is in conformance with:

- EMC Directive 2014/30/EU, tested in accordance with EN 55022:2010 and 55024:2010/A1:2015
- Certificate of compliance on file at P.I. Engineering, 101 Innovation Pkwy, Williamston, MI 48895

## Contact Us

<p align="center"><b>USA Sales</b></p> <p>sales@piengineering.com          Phone: 1-517-655-5523          www.xkeys.com</p>	<p align="center"><b>USA Technical Support</b></p> <p>tech@piengineering.com          Phone: 1- 517-655-5523          www.xkeys.com/support.php</p>	<p align="center"><b>USA Shipping Address</b></p> <p>P.I. Engineering          101 Innovation Parkway          Williamston, MI 48895-1663</p>
<p align="center"><b>UK Sales</b></p> <p>xkeys@keyboardspecialists.co.uk          Tel +44(0)20 3474 0234          www.x-keys.com</p>	<p align="center"><b>UK Technical Support</b></p> <p>www.x-keys-uk.com          xkeys@keyboardspecialists.co.uk          Tel +44(0)20 3474 0234</p>	<p align="center"><b>UK Shipping Address</b></p> <p>Keyboard Specialists Ltd          Unit 44-45, Salisbury          Street Darlaston West          Midlands WS10 8XB          United Kingdom</p>

## Limited Warranty

For all X-keys products purchased and installed in the United States, Canada and the United Kingdom, P.I. Engineering warrants that the X-keys product will be free from defects in materials and workmanship under normal use and service, and will meet the specifications presented by P.I. Engineering at the time of original purchase, for one year as evidenced by a copy of the purchase receipt. Under this warranty, P.I. Engineering will, at its sole option, repair or replace any X-keys product which is defective, provided that you are responsible for (i) the cost of transportation of the product to P.I. Engineering or its designated service facility, and (ii) any loss or damage to the product resulting from such transportation.

Upon discovery of a defect in the product within the Warranty Period, you should notify P.I. Engineering Technical Support to obtain an RMA (return authorization number) and instructions for shipping the product to a service location designated by P.I. Engineering. You should send the product, shipping charges prepaid, to the designated location, accompanied by the return authorization number, your name, address, and telephone number, proof of purchase, and a description of the defect. P.I. Engineering will pay for return of product(s) to the customer.

P.I. Engineering shall have no responsibility to repair or replace the X-keys product if the failure has resulted from accident, abuse, mutilation, misuse, or repair/modification performed by any entity other than P.I. Engineering.

THIS WARRANTY IS EXCLUSIVE OF ALL OTHER WARRANTIES, WHETHER EXPRESSED, IMPLIED, OR STATUTORY. P.I. ENGINEERING DOES NOT WARRANT THIS X-keys PRODUCT FOR FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. P.I. ENGINEERING AND ITS EMPLOYEES SHALL NOT BE HELD LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, OR INCIDENTAL DAMAGES, EVEN IF ADVISED OF THEIR POSSIBILITY, ARISING OUT OF THE USE OR INABILITY TO USE THIS PRODUCT. SOME STATES DO NOT ALLOW FOR THE EXCLUSION OR LIMITATION OF CERTAIN LIABILITIES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE.

In the event that the above limitations are held unenforceable, P.I. Engineering's liability for any damages to you or to any party shall not exceed the purchase price you paid, regardless of the form of any claim.

This limited warranty is valid for and only applies to products purchased and used inside the United States (and its territories), Canada, and the United Kingdom.

This limited warranty is governed by the laws of the United States of America and the state of Michigan.

**X-keys Electronic design: P.I. Engineering, Inc., Patent # 4964075  
 © 2017 P.I. Engineering, Inc. All rights reserved.**

Y-mouse, Y-see two, Y-key key, X-keys, and the "P.I. Eclipse" are trademarks of P.I. Engineering, Inc.

PS/2 is a registered trademark of International Business Machines, Inc.

All other trademarks are property of their respective owners.

**USA: [www.pieengineering.com](http://www.pieengineering.com) ■ [www.xkeys.com](http://www.xkeys.com)**

**UK: [www.x-keys-uk.com](http://www.x-keys-uk.com)**

PI Part#0987



**"The No Slogan Company"**